



Revised April 2009

BLACK ALGAE REMOVAL

DAY 1:-

- (a) Raise water level to top of tiles.
- (b) Brush the pool walls and floor.
- (c) Turn filter and solar pumps off.
- (d) Broadcast 2 kg Sodium dichlor (stabilized chlorine) over pool surface and down the walls.
- (e) Turn filter off overnight.

DAY 2:-

- (a) Brush the pool walls and floor.
- (b) Leave filter and solar pumps off and allow pool to settle for 24 hours.

DAY 3:-

- (a) Vacuum the pool walls and floor with filter set on waste and only skimmer suction open.
- (b) Backwash the filter well. Return filter to filtering position.
- (c) Broadcast 1 Kg Sodium dichlor over pool surface and down walls.
- (d) Run pump for four hours to circulate.
- (e) Turn pump off and allow to settle overnight.

DAY:-

- (a) Brush the pool walls and floor.
- (b) Dilute 2 Ltr Zed Zed 60 with 2 Ltr fresh water in a plastic watering can with spray head removed.
Slowly pour the mixture against the tiles just above water level, all the way around the pool.
- (c) Run filter for four hours.
- (d) Turn pump off and allow to settle overnight.

PLEASE NOTE:-

- Brush walls daily for seven days (to day 11)
- Vacuum dead algae to waste – not through filter.
- Allow seven days from Zed Zed addition for effect.